

2452MFX6

Lamps for printed circuit boards



- Instrument and switch lighting

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data

Electrical data


Power input	1.8 W
Nominal wattage	1.5 W
Nominal voltage	12 V
Power input tolerance	±10 %
Test voltage	13.5 V

Light technical data

Luminous flux	6.5 lm
Luminous flux tolerance	±20 %

Dimensions & weight

Length	17.5 mm
Diameter	5.0 mm
Product weight	0.75 g



Product line drawing

Colors & materials

Base color	Beige
------------	-------

Lifespan

Lifespan B3	1700 h
Lifespan Tc	6500 h

Additional product data

Base (standard designation)	BX8.4d
-----------------------------	--------

Capabilities

Thickness of PCB	1.25 mm
------------------	---------



Certificates & standards

ECE category	-
---------------------	---

Country specific categorizations

Order reference	2452MFX6
------------------------	----------

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321097118	Unpacked 1	12 mm x 12 mm x 17 mm	2.00 g	0.00 dm ³
4008321097125	Folding carton box 10	96 mm x 41 mm x 48 mm	14.75 g	0.19 dm ³
4008321097132	Shipping carton box 50	115 mm x 55 mm x 148 mm	122.50 g	0.94 dm ³

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.