



Zářivkové svítidlo

ECONOMY 236 ABS/PS ELT IP65

Order Number
910200015

EAN13
8595209926470



General information

Product description:	TOPLINE ECONOMY 236 ABS/PS
Model/Description:	Zářivkové svítidlo
Finish:	Průmyslové prachotěsné
Brand/Manufacturer:	NBB
Nominal voltage (V):	230-240 V
Type of luminaire:	Průmyslové zářivkové
Material:	ABS/PS

Mounting methods/application

Mounting method:	přisazená, závěsná, nástěnná,
Installation height (m):	>2 m

Physical characteristics

Colour:	Šedá/Gray
Numbers of ballasts:	1
Cap/Lamp holder:	G13
Dimensions (mm):	1.272 x 158 x 100 mm
Packing method:	1/6
Weight net (kg):	2,600 kg
Weight gross (kg):	2,844 kg
Spacing of fixing holes:	900 mm +/- 60 mm

Electrical characteristics

Nominal wattage (W):	2x36 W
----------------------	--------

Rated power (W):	2x36 W
Total power (W) (light fitting):	63,0 W
Operating voltage (h):	220-240 V
Type of Voltage:	AC/DC
Lowest permitted operating voltage (V):	AC 190 V
Direct connection to the mains:	Ano

Working conditions

Lamp type:	T8
Type of start:	Instant
Type of control gear:	elektronický zn. ELT
Output frequency of ballast (driver):	> 40 kHz
Operating frequency:	0-50 Hz
Dimmable by conventional dimmers:	ne
Dimmable:	Ne
Light source is part of the fixture:	Ne
Operating ambiente temperature - Ta max °C:	35 °C
Working temperature of the ballast body -Tc max:	70 °C
Hot restart:	Ano
Protection against overvoltage:	Ano
Cooling Type:	Air/proudem vzduchu
Degree of protection (IP):	IP65
Burning position:	Universal
Total Harmonic Distortion:	<10%
Installation on flammable surfaces:	Ano
Application:	Všeobecné osvětlování/General lighting

Doplňující informace

Note:	Ekonomická varianta
-------	---------------------

Energetic characteristics

Energy Efficiency Index:	A2
Lamp power factor (λ):	0,98

EuP Parameters

Luminaire maintenance factor:	1:0
Turn-on time:	<0,3 s
Number of maximal switching cycles:	> 20.000

EuP regulations

Product is subject to EUP regulation:	Ano
Indication of regulation:	EK 245/2009
The rate of premature failures:	<1%

Safety information

Protection class:	Ochranným vodičem třída I
Safety instructions:	www.nbb.cz